

Connection Technology for Equipment and Systems

Connection -Set
Mains Supply Test Van


Order No.. 890009622



Used for
For mains take off from LV Bus bar

Connection Set-Set
Street lighting

Order No.. 890009636



Used for:

Connection to metric screw terminals inside lamp posts by special clips and metric inserts (M4/M5/M6) on street illumination cables

Single

Order No. 890012260 Clip with MC 10 Connector, Black,

Order No. 890012261 Clip with MC 10 Connector, Red,

Order No. 890012262 Clip with MC 10 Connector, Blue,

HKZ 02 Red
Order No.: 810001055

HKZ 03-1 Black
Order No.: 820003130



Connection Set-Set
LV Cables Order No.. 890009637

Consisting of:



Earthing and
shortening Set MC
10

Art.-Nr.: 890006506

For the connection
to LV Cables

Plus the following components



MC10 Plus, Gewinde 12 lg

Order No.: 890009655



screw adapter for
PEN-Connection

Order No.:
890009656



Adapter

Order No.:
890009660



T-Wrench SW6

Order No.:
890009679



Order No. 890006506 Earthing and shortening Set MC 10

Order No. 898738280 Earthing and shortening Set MC 14

Consisting of the following components, which can also be ordered separately.



Contact with MC10-
Connector; fully isolated

Order No.: 890007758



Contact with MC10-Connector;
un-insulated

Order No.: 890007760



Cable shoe with MC10-
Connector

Order No.: 890007761



Connection device for
handle

Order No.: 893023034



Screw insert E27 with
pin earthing

Order No.: 893022990



Screw insert E33 with
pin earthing

Order No.: 893022989



Screw insert E27
with ring earthing

Order No.: 893022992



Screw insert E33
with ring earthing

Order No.: 893022992



Cable end connector

Order No.: 893023098



Part A and C combined:

Earth connection clamp;
Connection from below

Order No.: 893022983

Part B

Earth connection clamp;
Connection from top

Order No.: 893022984



Cable connection device

Order No.: 893022985



Plug-in blade type NH 0-3

Order No.: 893022282



Plug-in blade type NH 00

Order No.: 893022281



Earthing handle

Order No.: 893022283



Highly flexible copper leads with a transparent PVC insulation 25 mm²
4 different lengths:

Length	Order No.
350 mm	893023099
550 mm	893022986
750 mm	893022987
1 m	893023100



Steel Transport case

Order No.: 893022988